



Application:

Any shapes light box of shopping malls, airport, subway, bus station and other places.
Ultra-thin light box (minimum 3cm thickness light box).
Large size letter signs.

Product Features:

- High brightness SMD2835 LED as light source.
- Flexible copper PCB can be folded and cutted freely.
- With 170 degree beam angle optical lens, as a good backlight used for light box and signs.
- With thermal conductive aluminum self-adhesive tape on the back, easy for installation, faster heat dissipation.
- Every led is cuttable.
- IP65 rainproof.


Installation:

Installation method: The back of the strip is fitted with a strong self-adhesive tape, allowing you to peel and stick lights to many different surfaces. Please keep the surface is clean and dry.

Warranty:


2 years

Electric Parameters:



Referencia	Color	Voltios	Wattios x metro	Wattios x tira	Medidas mm. L x An x Al	Ángulo de luz	Lúmenes x metro	LEDs x metro	LEDs x tira	Metros x tira
HEPO1024C	BLANCO 3000	DC 24 V	16 W	160 W	10000 x 13	170°	728	28	280	10
HEPO1024W	BLANCO 4000									
HEPO1024B	BLANCO 6500									

Product Connection Diagram:



Notice:

1. Before use, please confirm the products whether have been damaged in the transportation.
2. Please choose the right LED power supply to operate when use, and check the voltage range as well.
3. We suggest you use 2-3 meters led strip in series without voltage drop.
4. The best working environment temperature is -25°C to 60°C , and storage temperature is -40°C to 80°C .
5. The product better installed in the ventilation place, it is not recommended to install in a sealed place, otherwise it will influence the heat dissipation of the products.
6. Please cut off power supply when install.
7. Please attention electrostatic protection when use.
8. According to the waterproof effect of every product, please choose indoor or outdoor use.
9. To avoid eyes look straight into the light when use.
10. Please follow the product instruction strictly.